

TECHNICAL SPECIFICATIONS

PORCELAIN Group BIb

0.5%<E ≤ 3%

DATE: 20/7/15	PRODUCT: FLOOR AND WALL TILE	SIZE: 25,8X29 cm
MODEL: TOSCANA GARDEN		COLOUR: AZUL

<u>Title</u>	<u>Test</u>	<u>Minimum Requirements</u>	<u>Bestile</u>
Size and superficial appearance	ISO 10545-2	Length Width Thickness	290±0.6 258±0.6 10,5±0.2
Water absorption	ISO 10545-3	0.5 %E≤3% IND.MAX.3,3%	1.4
Breaking strength N/mm ² a) Thickness ≥ 7.5 mm b) Thickness < 7.5 mm	ISO 10545-4	1300 700	2560
Flexion resistance N/mm ²	ISO 10545-4	35	42
Hardness degree MOHS	EN 101: 1991		5
Surface abrasión resistance PEI	ISO 10545-7		II
Crazing resistance	ISO 10545-11		Pass
Frost resistance	ISO 10545-12		Pass
Quimical products resistance: a) Ácids b) Álkalis c) Domestic products and pools	ISO 10545-13	GLB GLB GB	GLA GLA GA

TECHNICAL SPECIFICATIONS

PORCELAIN Group BIb

0.5%<E ≤ 3%

DATE: 20/7/15	PRODUCT: FLOOR AND WALL TILE	SIZE: 25,8X29 cm
MODEL: TOSCANA GARDEN		COLOUR: MARENGO

<u>Title</u>	<u>Test</u>	<u>Minimum Requirements</u>	<u>Bestile</u>
Size and superficial appearance	ISO 10545-2	Length Width Thickness	290±0.6 258±0.6 10,5±0.2
Water absorption	ISO 10545-3	0.5 %E≤3% IND.MAX.3,3%	1.4
Breaking strength N/mm ² a) Thickness ≥ 7.5 mm b) Thickness < 7.5 mm	ISO 10545-4	1300 700	2560
Flexion resistance N/mm ²	ISO 10545-4	35	42
Hardness degree MOHS	EN 101: 1991		5
Surface abrasión resistance PEI	ISO 10545-7		II
Crazing resistance	ISO 10545-11		Pass
Frost resistance	ISO 10545-12		Pass
Quimical products resistance: a) Ácids b) Álkalis c) Domestic products and pools	ISO 10545-13	GLB GLB GB	GLA GLA GA

TECHNICAL SPECIFICATIONS

PORCELAIN Group BIb

0.5% < E ≤ 3%

DATE: 20/7/15	PRODUCT: FLOOR AND WALL TILE	SIZE: 25,8X29 cm
MODEL: TOSCANA GARDEN		COLOUR: NEGRO

<u>Title</u>	<u>Test</u>	<u>Minimum Requirements</u>	<u>Bestile</u>
Size and superficial appearance	ISO 10545-2	Length Width Thickness	290±0.6 258±0.6 10,5±0.2
Water absorption	ISO 10545-3	0.5 %E≤3% IND.MAX.3,3%	1.4
Breaking strength N/mm ² a) Thickness ≥ 7.5 mm b) Thickness < 7.5 mm	ISO 10545-4	1300 700	2560
Flexion resistance N/mm ²	ISO 10545-4	35	42
Hardness degree MOHS	EN 101: 1991		5
Surface abrasión resistance PEI	ISO 10545-7		II
Crazing resistance	ISO 10545-11		Pass
Frost resistance	ISO 10545-12		Pass
Quimical products resistance: a) Ácids b) Álkalis c) Domestic products and pools	ISO 10545-13	GLB GLB GB	GLA GLA GA

TECHNICAL SPECIFICATIONS
PORCELAIN Group BIb
0.5%<E ≤ 3%

DATE: 20/7/15	PRODUCT: FLOOR AND WALL TILE	SIZE: 25,8X29 cm
MODEL: TOSCANA GARDEN		COLOR: PERLA

Title	Test	Minimum Requirements	Bestile
Size and superficial appearance	ISO 10545-2	Length Width Thickness	290±0.6 258±0.6 10,5±0.2
Water absorption	ISO 10545-3	0.5 %E≤3% IND.MAX.3,3%	1.4
Breaking strength N/mm ² a) Thickness ≥ 7.5 mm b) Thickness < 7.5 mm	ISO 10545-4	1300 700	2560
Flexion resistance N/mm ²	ISO 10545-4	35	42
Hardness degree MOHS	EN 101: 1991		5
Surface abrasión resistance PEI	ISO 10545-7		III
Crazing resistance	ISO 10545-11		Pass
Frost resistance	ISO 10545-12		Pass
Quimical products resistance: a) Ácids b) Álkalis c) Domestic products and pools	ISO 10545-13	GLB GLB GB	GLA GLA GA